

Г

MOTOR VEHICLE ACCIDENT QUESTIONNAIRE

Gail Y. Flock, D.C.

1550 Biddle Rd., Ste D Medford, OR 97504 P:(541) 779-9650 F:(541) 779-5315

Name			Date			
Date and time of injury:		City and Street where injury occurred:				
-	vehicle:					
Do you have auto insurance coverage?		⊖Yes	No Insurance Company:			
Have you reported this injury to your insurance company?		⊖Yes	◯No			
Please notify our office if you retain an attorney.			Claim Number: Adjustor's Name:			
Did the police come to	the accident scene and make a report?	⊖Yes	⊖No			
Your vehicle's make, model and year:			Estimated speed at impact: mph			
The other vehicle's make, model and year:			Estimated speed at impact: mph			
Describe the collision i	n your own words:					
Collision Description O Driver O Rear-end impact		assenger ide impa	0			
○ Roll-over	\bigcirc Hit guardrail/tree \bigcirc Ran of	f road	○ Hit and run			
At the time of impa	ct, your vehicle was:	At th	ne time of impact, the other vehicle was:			
 Slowing down 	 At a complete stop 		Slowing down O At a complete stop			
 Gaining speed 	 Moving at a steady speed 	_	Gaining speed O Moving at a steady speed			
During and after im	pact, your vehicle					
○ Kept going straight	t, not hitting anything O Kept going str car in front	aight, hit	tting the 🛛 🔿 Was hit by another vehicle			
○ Spun around, not l	hitting anything O Spun around,	hitting a	nother car O Spun around, hitting an object other than a car			
Describe yourself de	uring the collision (check only those th	at apply	to you)			
○ You were unaware	e of the impending collision	-	I were aware of the impending collision and braced rself			
 Your body, torso and head were facing straight ahead You had your head and/or torso turned at the tim impact (circle: to the left or right) 						
○ You were wearing a seat belt (with shoulder harness? Y N)			 You were holding onto the steering wheel at the time of impact 			
○ You lost conscious	ness. For how long?					

Did anything hit your body from inside or outside the vehicle? Or did your body hit something?

When did you first notice any pain after the injury?	○ Immediately ○ _	hrs later	days la	ter
Type of head restraint:	⊖ movable ⊖ fix	ed 🔿 no	head rest	raint
Position of head restraint:	\bigcirc At the top of the back	of your head	⊖Midv	vay at the back of your hea
	\bigcirc At the lower part of the	e back of your head	⊖At tł	ne level of your neck
Emergency Treatment				
Did you go to the eme If yes, name of ER:	rgency room after the collision	on?	⊖Yes	⊖No
Did you go to the eme	⊖Yes	⊖No		
Did you or another per	⊖Yes	⊖No		
Were you hospitalized	⊖No			
Did the ER doctor take	e x-rays?		\bigcirc Yes	⊖No
If	yes: 🔿 skull 🔿 neck	\bigcirc chest \bigcirc low	back 🔿	arm/leg
Did the ER doctor give	you pain medication and/or	muscle relaxants?	\bigcirc Yes	⊖No
Did you have any cuts	, lacerations or bruises?		\bigcirc Yes	⊖No
Were you given a neck	collar or brace to wear?		\bigcirc Yes	⊖No
Check the symptoms you h	ave noticed since the coll	ision:		
) Headache	○ Irritability	◯ Tension		○ Cold hands/feet
⊖Neck pain	⊖ Chest pain	\bigcirc Shortness of b	reath	\bigcirc Bussing in ears
○ Neck stiffness	⊖ Dizziness	⊖Fatigue		\bigcirc Loss of balance
Sleeping problems	\bigcirc Head seems too heavy	\bigcirc Depression		○ Upset stomach
) Back pain	○ Tingling in arms/legs	⊖ Eyes sensitive	to light	\bigcirc Bowel changes
Nervousness	○ Numbness in arms/legs	\bigcirc Memory loss		\bigcirc Loss of smell/taste
Are you having difficulty co f yes, describe in detail:				
If you did not see a doctor	within the first week afte	er the collision, ind	icate why	y :
Describe any physical comp	plaints you had before the	e collision:		
Have you ever been in a col If yes, describe (including date		⊃No Id treatment):		
	k sinas the inium?		,,	
Have you been able to worl	partially completely	_	to	
		Dates:	เบ	
				NV.

p.2

Primary Complaint The primary symptom that prompted me to seek care today is:	Secondary Complaint The secondary symptom that prompted me to seek care today is:			
Intensity How extreme are your symptoms? 0 1 2 3 4 5 6 7 8 9 10 Mild Mod Severe	Intensity How extreme are your symptoms? 0 1 2 3 4 5 6 7 8 9 10 Mild Mod Severe			
Duration How often do you experience this? O Constant O Frequent O Occasional O Intermittent	Duration How often do you experience this? Oconstant Frequent Occasional Intermittent			
Quality of Symptoms Numbness Tingling Cramping Nagging Stabbing Burning	Quality of Symptoms Numbness Tingling Cramping Nagging Stabbing Burning			
Location Where does it hurt? Circle the area(s) on the illustration. "O" for current condition, "X" for conditions experienced in the past.	Location Where does it hurt? Circle the area(s) on the illustration. "O" for current condition, "X" for conditions experienced in the past.			
Radiation Where does your pain radiate or shoot to?	Radiation Where does your pain radiate or shoot to?			
Aggravating or Relieving Factors Makes it worse: Makes it better:	Aggravating or Relieving Factors Makes it worse: Makes it better:			
Prior Interventions What have you done for relief? Ice Heat Homeopathic Remedies Over-the-counter drugs Prescription medication Acupuncture Massage Chiropractic Physical therapy Surgery Other	Prior Interventions What have you done for relief? Ice Heat Homeopathic Remedies Over-the-counter drugs Prescription medication Acupuncture Massage Chiropractic Physical therapy Surgery Other			

Date



Neck Disability Index Questionnaire

This questionnaire is designed to help us better understand how your neck pain affects your ability to life activities. Please mark the one that most closely describes your situation **right now**.

Name: _

Date:

Pain Intensity

- $\bigcirc\,$ I have no pain at the moment.
- \bigcirc The pain is very mild at the moment.
- \bigcirc The pain is moderate at the moment.
- \bigcirc The pain is fairly severe at the moment.
- $\bigcirc\,$ The pain is very severe at the moment.
- \bigcirc The pain is the worst imaginable at the moment.

Reading

- \bigcirc I can read as much as I want with no neck pain.
- \bigcirc I can read as much as I want with slight neck pain.
- I can read as much as I want with moderate neck pain.
- $\bigcirc\ I$ can't read as much as I want because of moderate neck pain.
- I can't read as much as I want because of severe neck pain.
- \bigcirc I can't read at all because of the pain.

Concentration

- \bigcirc I can concentrate fully without difficulty.
- I can concentrate fully with slight difficulty.
- \bigcirc I have a fair degree of difficulty concentrating.
- \bigcirc I have a lot of difficulty concentrating.
- \bigcirc I have a great deal of difficulty concentrating.
- \bigcirc I can't concentrate at all.

Work

- \bigcirc I can do as much work as I want.
- I can only do my usual work, but no more.
- $\bigcirc\,$ I can do most of my usual work, but no more.
- \bigcirc I can't do my usual work.
- \bigcirc I can hardly do any work at all.
- $\bigcirc\,$ I can't do any work at all.

Personal Care

- I can look after myself normally without causing extra pain.
- \bigcirc I can look after myself normally, but it causes extra pain.
- $\bigcirc\,$ It is painful to look after myself, and I am slow and careful.
- I need some help but manage most of my personal care.
- \bigcirc I need help every day in most aspects of self care.
- \bigcirc I do not get dressed. I wash with difficulty and stay in bed.

Sleeping

- \bigcirc I have no trouble sleeping.
- \bigcirc My sleep is slightly disturbed for less than 1 hour.
- \bigcirc My sleep is mildly disturbed for up to 1-2 hours.
- \bigcirc My sleep is moderately disturbed for up to 2-3 hours.
- \bigcirc My sleep is greatly disturbed for up to 3-5 hours.
- \bigcirc My sleep is completely disturbed for up to 5-7 hours.

Lifting

- \bigcirc I can lift heavy objects without causing extra pain.
- \bigcirc can lift heavy weights, but it gives me extra pain.
- Pain prevents me from lifting heavy weights off the floor but I can manage if items are conveniently positioned (e.g. on a table).
- Pain prevents me from lifting heavy weights, but I can manage light weights if they are conveniently positioned.
- \bigcirc I can lift only very light weights.
- I cannot lift or carry anything at all.

Recreation

- I have no neck pain during all recreational activities.
- \bigcirc I have some neck pain with all recreational activities.
- \bigcirc I have some neck pain with a few recreational activities.
- I have neck pain with most recreational activities.
- I can hardly do recreational activities due to neck pain.
- I can't do any recreational activities due to neck pain.

Driving

- \bigcirc I can drive my car without neck pain.
- \bigcirc I can drive as long as I want with slight neck pain.
- \bigcirc I can drive as long as I want with moderate neck pain.
- I can't drive as long as I want because of moderate neck pain.
- \bigcirc I can hardly drive at all because of severe neck pain.
- \bigcirc I can't drive my car at all because of neck pain.

Headaches

- I have no headaches at all.
- $\bigcirc\,$ I have slight headaches that come infrequently.
- \bigcirc I have moderate headaches that come infrequently.
- I have moderate headaches that come frequently.
- \bigcirc I have severe headaches that come frequently.
- \bigcirc I have headaches almost all the time.

Signature

Gail Y. Flock, D.C. - 1550 Biddle Rd., Ste D, Medford, OR 97504 - P:(541) 779-9650 F:(541) 779-5315



Back Pain Index Questionnaire

This form is designed to help us better understand how your back pain affects your ability to manage everyday life activities. Please mark the one that most closely describes your situation **today**.

Name: ____

Date:

Pain Intensity

- \bigcirc The pain comes and goes and is very mild.
- $\bigcirc\,$ The pain is mild and does not vary much.
- $\bigcirc\,$ The pain comes and goes and is moderate.
- \bigcirc The pain is moderate and does not vary much.
- \bigcirc The pain comes and goes and is severe.
- \bigcirc The pain is severe and does not vary much.

Sitting

- I can sit in any chair as long as I like.
- I can only sit in my favorite chair as long as I like.
- \bigcirc Pain prevents me from sitting more than 1 hour.
- \bigcirc Pain prevents me from sitting more than 30 min.
- \bigcirc Pain prevents me from sitting more than 10 min.
- I avoid sitting because it increases pain immediately.

Standing

- \bigcirc I can stand as long as I want without pain.
- $\bigcirc\$ I have some pain while standing but it does not increase with time.
- \bigcirc I cannot stand longer than 1 hour without increasing pain.
- I cannot stand longer than 30 min without increasing pain.
- I cannot stand longer than 10 min without increasing pain.
- \bigcirc I avoid standing because it increases pain immediately.

Walking

- I have no pain while walking.
- I have some pain while walking but it doesn't increase with distance.
- \bigcirc I cannot walk more than 1 mile without increasing pain.
- \bigcirc I cannot walk more than 1/2 mile without increasing pain.
- \bigcirc I cannot walk more than 1/4 mile without increasing pain.
- I cannot walk at all without increasing pain.

Personal Care

- I do not have to change my way of washing or dressing in order to avoid pain.
- I do not normally change my way of washing or dressing, even though it causes some pain.
- Washing and dressing increases the pain but I manage not to change my way of doing it.
- Washing and dressing increases the pain and I find it necessary to change my way of doing it.
- Because of the pain I am unable to do some washing and dressing without help.
- Because of the pain I am unable to do any washing and dressing without help.

Changing Degree of Pain

- \bigcirc My pain is rapidly getting better.
- My pain fluctuates but is definitely getting better overall.
- \bigcirc My pain seems to be getting better but improvement is slow.
- \bigcirc My pain is getting neither better nor worse.
- \bigcirc My pain is gradually worsening.
- \bigcirc My pain is rapidly worsening.

Sleeping

- \bigcirc I get no pain in bed.
- I get pain in bed but it does not prevent me from sleeping well.
- Because of pain my normal sleep is reduced by less than 25%.
- \bigcirc Because of pain my normal sleep is reduced by less than 50%.
- Because of pain my normal sleep is reduced by less than 75%.
- Pain prevents me from sleeping at all.

Lifting

- \bigcirc I can lift heavy objects without extra pain.
- I can lift heavy objects but it causes extra pain.
- Pain prevents me from lifting heavy objects off the floor.
- Pain prevents me from lifting heavy objects off the floor, but I can manage if they are conveniently positioned (e.g. on a table).
- Pain prevents me from lifting heavy objects off the floor, but I can manage light to medium weights if they are conveniently positioned.
- I can only lift very light weights.

Social Life

- My social life is normal and gives me no extra pain.
- My social life is normal but increases the degree of pain.
- Pain has restricted my social life and I do not go out very often.
- O Pain has restricted my social life to my home.
- Pain has no significant affect on my social life apart from limiting my more energetic interests (e.g. dancing, etc).
- \bigcirc I have hardly any social life because of the pain.

Traveling

- \bigcirc I get no pain while traveling.
- I get some pain while traveling but none of my usual forms of travel make it worse.
- I get extra pain while traveling but it does not cause me to seek alternate forms of travel.
- I get extra pain while traveling which causes me to seek alternate forms of travel.
- Pain restricts all forms of travel except that done while lying down.
- \bigcirc Pain restricts all forms of travel.

Signature

Gail Y. Flock, D.C. - 1550 Biddle Rd., Ste D, Medford, OR 97504 - P:(541) 779-9650 F:(541) 779-5315



